Online Experiments for Language Scientists

Lecture 3: Grammaticality judgments

Kenny Smith kenny.smith@ed.ac.uk

What you will have read for today

(from https://kennysmithed.github.io/oels2022/oels_reading_wk3.html)

Reading tasks for this week

Read:

>> Sprouse, J. (2011). A validation of Amazon Mechanical Turk for the collection of acceptability judgments in linguistic theory. *Behavior Research Methods, 43,* 155-167.

As you read this paper and make note of any questions, criticisms or ideas it gives you, and I'll leave time in the Monday lecture slot so we can discuss these in class.

Sprouse (2011)

Sprouse, J. (2011). A validation of Amazon Mechanical Turk for the collection of acceptability judgments in linguistic theory. *Behavior Research Methods*, *43*, 155-167.

Compares undergrad lab and MTurk populations on grammatical acceptability judgment task

 Does the MTurk sample give similar judgments to lab population, despite reduced experimental control?



Jon Sprouse
NYU Abu Dhabi

Sample size, study duration etc

Lab

- N=176
- Self-reported native speakers of English
- 96 sentences + practice items
- 30 minutes
- \$5 or course credit
- 3 months to collect

MTurk

- N=176
- Self-reported native speakers of English
- 96 sentences + practice items
- No info on duration
- \$3
- 4 hours to collect

Test items

Island effects (clear difference in ratings expected)

Grammatical (control): What do you think that John bought?


Ungrammatical (violation): * What do you wonder whether John bought?

Illusions (smaller difference in ratings expected)

Clear ungrammatical (violation): * The slogan on the poster unsurprisingly were designed to get attention


Ungrammatical? (illusion): ? The slogan on the posters unsurprisingly were designed to get attention

Task: magnitude estimation




Converting raw acceptability scores to z-scores

$$Z \ score = \frac{raw \ score - mean}{standard \ deviation}$$



Converting raw acceptability scores to z-scores

$$Z score = \frac{raw score - mean}{standard deviation}$$




Identifying outlier (inattentive?) participants

- (9) Examples of the Eight Conditions Chosen for the Rank Order Analysis
 - a. What do you worry if the lawyer forgets at the office?
 - b. What does the detective wonder whether Paul took?
 - c. The slogan on the poster unsurprisingly were designed to get attention.
 - d. The slogan on the posters unsurprisingly were designed to get attention.
 - e. Who worries if the lawyer forgets his briefcase at the office?
 - f. What does the detective think Paul took?
 - g. Who made the claim that Amy stole the pizza?
 - h. Who thinks Paul took the necklace?


Reliably low acceptability

Reliably high acceptability


Identifying outlier (inattentive?) participants




Distribution of ratings



Power calculations: how big does my sample size be to see the difference?



Power calculations: how big does my sample size be to see the difference?



Sprouse's conclusions

MTurk is suitable for collecting acceptability judgments

- Similar pattern of judgments in most places
- Small reduction in power (recommends increasing sample by 15%)
- Very fast

He also says some outdated stuff about limitations of online experiments re. presenting audio, collecting RTs etc – see my reading notes!

Time for Q&A/discussion on this week's reading

Next up

Wednesday: lab

• Our first proper experiment: grammaticality judgments

Next Monday: lecture 4, self-paced reading

• Do the reading beforehand!